

Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 5




Fig. 6




Fig. 7




Fig. 8





Fig. 9




F1g. 10


```
Edit Handler Custom Code
  extern RLSTATUS
 VD_CommanddHendler(cli_env *ptlisnv, paramlist *plorems, tayte *phuxBuf)
      RLSTATUS
                  stecus = OR:
      shyte
                  pVali;
      perombeser *pParamDescrl;
                  *pval2 = NULL;
      Sbyte
      parambescr *pPerembescr2;
      /* get required parameter */
      Status - RCC_DB_RetrievePorox(pPerexs, MULL, mCommendS_MULL1, apPoroxDes
      if ( OR != scatus )
      ſ
          recurn(seatus);
      ) else pVall = (sbyte*)(pFaramDqscrl->pValue);
      RCC_EXT_WriteStr(pCliling, kCommand3MagRegulredValue);
      RCC_BXT_WriteStrLine(pCliEnv, pVol1);
      /* get optional parameter */
if (OK == RCC_DB_RetrieveParametyParame, NULL, acommand3_NULL2, apparameter
          pWal2 = (sbyte*)(pParanDescr2->pValua);
RCC_EXI_WriteStr(pCiiznv, %CommandSEsguptionalValue);
RCC_EXI_WriteStrLine(pCiiznv, pWal2);
```


Fig. 11

in. This

in k










Fig. 15